



### JYSK ESSENTIAL TEXTILE PROTECTOR 375 ml (3650118/86084001)

Issued: 10/04/2024 Version: 1.0.0

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: JYSK ESSENTIAL TEXTILE PROTECTOR 375 ml (3650118/86084001)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: Impregnation agents.

SU: Other (SU0).

PC: Textile dyes, and impregnating products (PC34)

#### 1.3. Details of the supplier of the safety data sheet

**Supplier** 

Company: Guardian Protection Products A/S

Address: Knudevejen 22

Zip code: 6600
City: Vejen
Country: DENMARK

E-mail: guardian@guardian.dk

Phone: +45 75471767 Fax: +45 75471787

Distributor

Company: JYSK Ltd.

1st Floor Biostat House

Address: Pepper Road Hazel Grove

SK7 5BW

Zip code: SK7 5BW
City: Stockport

Country: UNITED KINGDOM Phone: (+44) 0845 309 3089

#### 1.4. Emergency Telephone Number

Members of the public: 111 (NHS 111 (Scotland: NHS 24)).

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

**CLP-classification:** The product shall not be classified as hazardous according to the classification and

labeling rules for substance and mixtures.

Most serious harmful effects: May cause slight irritation to the skin and eyes.

2.2. Label elements

The product shall not be classified as hazardous according to the classification and labeling rules for substance and mixtures.

#### 2.3. Other hazards

The product does not contain any PBT or vPvB substances.





Issued: 10/04/2024 Version: 1.0.0

Endocrine disrupting properties: None known.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

| Substance                               | CAS No./ EC No./<br>REACH Reg. No. | Concentration | Notes | CLP-classification   |
|---|------------------------------------|---------------|-------|--|
| 2-(2-<br>butoxyethoxy)ethanol           | 112-34-5<br>203-961-6              | 3 - 5 %       | 28    | Eye Irrit. 2;H319  |
| Aminofunctional Polysiloxane (Polymere) |                                    | 3 - 5 %       |       | Skin Irrit. 2;H315   |
| 3-butoxypropan-2-ol                     | 5131-66-8<br>225-878-4             | 1 - 3 %       |       | Skin Irrit. 2;H315<br>Eye Irrit. 2;H319  |
| acetic acid %                           | 64-19-7<br>200-580-7               | < 0.1 %       |       | Flam. Liq. 3;H226<br>Skin Corr. 1A;H314<br>25% ≤ C < 90%: Skin Corr. 1B; H314<br>C ≥ 90%: Skin Corr. 1A; H314<br>10% ≤ C < 25%: Skin Irrit. 2; H315<br>10% ≤ C < 25%: Eye Irrit. 2; H319 |
| Benzalkonium chloride                   | 85409-22-9<br>939-350-2            | < 0.1 %       |       | Acute Tox. 4;H302<br>Skin Corr. 18;H314<br>Eye Dam. 1;H318<br>Aquatic Acute 1;H400<br>Aquatic Chronic 1;H410<br>M (acute): 10<br>M (chronic): 1  |

Please see section 16 for the full text of H- / EUH-phrases.

28 = The substance is covered by regulation 1907/2006/EU, annex XVII regarding restrictions.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

**Inhalation:** Seek fresh air.

Ingestion: Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Seek medical

advice in case of persistent discomfort.

**Skin contact:** Remove contaminated clothing. Wash skin with soap and water.

Eye contact: Flush with water (preferably using eye wash equipment) until irritation subsides. Seek

medical advice if symptoms persist.

**General:** When obtaining medical advice, show the safety data sheet or label.

#### 4.2. Most important symptoms and effects, both acute and delayed

May cause slight irritation to the skin and eyes.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms. No special immediate treatment required.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media: The product is not directly flammable. Choose extinguishing agents based on the

surrounding fire.





Issued: 10/04/2024 Version: 1.0.0

#### 5.2. Special hazards arising from the substance or mixture

The product is not directly flammable. Avoid inhalation of vapour and fumes - seek fresh air. The product decomposes when combusted and the following toxic gases can be formed: Carbon monoxide and carbon dioxide.

#### 5.3. Advice for firefighters

Move containers from danger area if it can be done without risk. Avoid inhalation of vapour and flue gases - seek fresh air. Wear Self-Contained Breathing Apparatus (SCBA) with chemical resistant gloves.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Stop leak if this can be done without risk. Wear gloves. Wear safety goggles if there is a

risk of eye splash.

For emergency responders: In addition to the above: Normal protective clothing equivalent to EN 469 is recommended.

#### 6.2. Environmental precautions

Do not discharge large quantities of concentrated spills and residue into drains.

#### 6.3. Methods and material for containment and cleaning up

Contain and absorb spill with sand or other absorbent material and transfer to suitable waste containers. Wipe up minor spills with a cloth.

#### 6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Running water and eye wash equipment should be available. Wash hands before breaks, before using restroom facilities, and at the end of work.

#### 7.2. Conditions for safe storage, including any incompatibilities

The product should be stored safely, out of reach of children and away from food, animal feeding stuffs, medicines, etc. Keep in tightly closed original packaging. Store frost-free. Do not store with the following: Strong alkalis/ Strong acids/ Strong oxidisers/ Strong reducing agents.

#### 7.3. Specific end use(s)

None.

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### Occupational exposure limit

| Substance name                    | Time period | ppm | mg/m³ | fiber/cm3 | Remarks | Comments |
|-----------------------------------|-------------|-----|-------|-----------|---------|----------|
| 2-(2-<br>butoxyethoxy)<br>ethanol | 15m         | 15  | 101.2 |           |         |          |
| 2-(2-<br>butoxyethoxy)<br>ethanol | 8h          | 10  | 67.5  |           |         |          |





Issued: 10/04/2024

Version: 1.0.0

| acetic acid % | 8h  | 10 | 25 |  |  |
|---------------|-----|----|----|--|--|
| acetic acid % | 15m | 20 | 50 |  |  |

Measuring methods: Compliance with occupational exposure limits may be checked by occupational hygiene

measurements.

Legal basis: EH40/2005 Workplace exposure limits. Last amended January 2020.

#### **PNEC**

| 2-(2-butoxyethoxy)ethano                         | ol, cas-no 112-34-5 |                   |                      |      |
|--|---------------------|-------------------|----------------------|------|
| Exposure   | Value               | Assessment Factor | Extrapolation Method | Note |
| PNEC aqua (freshwater)                           | 1.1 mg/l            |                   |                      |      |
| PNEC sediment (freshwater)                       | 4.4 mg/kg           |                   |                      |      |
| PNEC aqua (marine water)                         | 110 μg/l            |                   |                      |      |
| PNEC sediment (marine water)                     | 440 μg/kg           |                   |                      |      |
| PNEC soil  | 320 μg/kg           |                   |                      |      |
| PNEC aqua (intermittent releases (fresh water))  | 11 mg/l             |                   |                      |      |
| 3-butoxypropan-2-ol, cas-                        | -no 5131-66-8       |                   |                      |      |
| Exposure   | Value               | Assessment Factor | Extrapolation Method | Note |
| PNEC aqua (freshwater)                           | 0,525 mg/l          |                   |                      |      |
| PNEC aqua (marine water)                         | 0,0525 mg/l         |                   |                      |      |
| PNEC aqua (intermittent releases)                | 5,25 mg/l           |                   |                      |      |
| PNEC STP (wastewater-treatment facilities)       | 10 mg/l             |                   |                      |      |
| PNEC sediment (freshwater)                       | 2,36 mg/kg dw       |                   |                      |      |
| PNEC sediment (marine water)                     | 0,236 mg/kg dw      |                   |                      |      |
| PNEC soil  | 0,16 mg/kg dw       |                   |                      |      |
| Benzalkonium chloride, c                         | as-no 85409-22-9    |                   |                      |      |
| Exposure   | Value               | Assessment Factor | Extrapolation Method | Note |
| PNEC aqua (freshwater)                           | 120 - 900 ng/l      |                   |                      |      |
| PNEC sediment (freshwater)                       | 12.27 - 31.9 mg/kg  |                   |                      |      |
| PNEC aqua (marine water)                         | 12 - 960 ng/l       |                   |                      |      |
| PNEC sediment (marine water)                     | 3.19 - 13.09 mg/kg  |                   |                      |      |
| PNEC soil  | 6.38 - 7 mg/kg      |                   |                      |      |
| PNEC aqua (intermittent releases (fresh water))  | 160 ng/l            |                   |                      |      |
| PNEC aqua (intermittent releases (marine water)) | 16 ng/l             |                   |                      |      |
| PNEC STP (wastewater-treatment facilities)       | 160 - 400 μg/l      |                   |                      |      |

#### **DNEL** - workers





Issued: 10/04/2024 Version: 1.0.0

| 2-(2-butoxyethoxy)et   | hanol, cas-no 112-34 | 5                 |                 |                          |      |
|--|----------------------|-------------------|-----------------|--------------------------|------|
| Exposure   | Value                | Assessment Factor | Dose Descriptor | Main Impact<br>Parameter | Note |
| Inhalation DNEL<br>(acute/short-term<br>exposure - local<br>effects) | 101.2 mg/m³          |                   |                 |                          |      |
| Inhalation DNEL<br>(long-term exposure<br>- local effects)           | 67.5 mg/m³           |                   |                 |                          |      |
| 3-butoxypropan-2-ol,   | cas-no 5131-66-8     |                   |                 |                          |      |
| Exposure   | Value                | Assessment Factor | Dose Descriptor | Main Impact<br>Parameter | Note |
| Dermal DNEL (long-<br>term exposure -<br>systemic effects)           | 52 mg/kg bw/day      |                   |                 |                          |      |
| Inhalation DNEL<br>(long-term exposure<br>- systemic effects)        | 147 mg/m³            |                   |                 |                          |      |
| Benzalkonium chlorid   | de, cas-no 85409-22- | 9                 |                 |                          |      |
| Exposure   | Value                | Assessment Factor | Dose Descriptor | Main Impact<br>Parameter | Note |
| Dermal DNEL (long-<br>term exposure -<br>systemic effects)           | 3.1 mg/kg bw/day     |                   |                 |                          |      |
| Inhalation DNEL<br>(long-term exposure<br>- systemic effects)        | 3.06 mg/m³           |                   |                 |                          |      |

#### **DNEL** - general population

| 2-(2-butoxyethoxy)et  | hanol, cas-no 112-34  | -5                |                 |                          |      |
|---|-----------------------|-------------------|-----------------|--------------------------|------|
| Exposure  | Value                 | Assessment Factor | Dose Descriptor | Main Impact<br>Parameter | Note |
| Oral DNEL (long-<br>term exposure -<br>systemic effects)      | 6.25 mg/kg bw/day     |                   |                 |                          |      |
| 3-butoxypropan-2-ol,  | , cas-no 5131-66-8    |                   |                 |                          |      |
| Exposure  | Value                 | Assessment Factor | Dose Descriptor | Main Impact<br>Parameter | Note |
| Dermal DNEL (long-<br>term exposure -<br>systemic effects)    | 22 mg/kg bw/day       |                   |                 |                          |      |
| Inhalation DNEL<br>(long-term exposure<br>- systemic effects) | 43 mg/m³              |                   |                 |                          |      |
| Oral DNEL (long-<br>term exposure -<br>systemic effects)      | 12,5 g/kg bw/day      |                   |                 |                          |      |
| Benzalkonium chloric  | de, cas-no 85409-22-9 | 9                 |                 |                          |      |
| Exposure  | Value                 | Assessment Factor | Dose Descriptor | Main Impact<br>Parameter | Note |
| Dermal DNEL (long-<br>term exposure -<br>systemic effects)    | 3.4 mg/kg bw/day      |                   |                 |                          |      |
| Inhalation DNEL<br>(long-term exposure<br>- systemic effects) | 1.64 mg/m³            |                   |                 |                          |      |





### JYSK ESSENTIAL TEXTILE PROTECTOR 375 ml (3650118/86084001)

Issued: 10/04/2024 Version: 1.0.0

| Oral DNEL (long-<br>term exposure -<br>systemic effects) 3.4 m | ng/kg bw/day |  |  |  |  |
|--|--------------|--|--|--|--|
|--|--------------|--|--|--|--|

#### 8.2. Exposure controls

Appropriate engineering

Wear the personal protective equipment specified below.

controls:

Personal protective equipment, Wear safety goggles if there is a risk of eye splash. Eye protection must conform to EN

eye/face protection: 166/16321.

hand protection:

Personal protective equipment, Plastic or rubber gloves recommended.

-

Personal protective equipment, Not required.

respiratory protection:

**Environmental exposure** 

Ensure compliance with local regulations for emissions.

controls:

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

| Parameter       | Value/unit |         |  |
|-----------------|------------|---------|--|
| State           | Liquid     |         |  |
| Colour          | Clear      |         |  |
| Odour           | Odourless  |         |  |
| Solubility      | No data    |         |  |
| Parameter       | Value/unit | Remarks |  |
| Odour threshold | No data    |         |  |
| a. III          | N          |         |  |

| No data |   |
|---------|---|
| No data |   |
| No data |   |
| 100 °C  |   |
| No data |   |
| 6.5     |   |
| No data |   |
| 1 g/cm³ |   |
| No data |   |
|         | No data 100 °C No data Ano data No data 1 g/cm³ No data No data No data No data No data No data |

#### 9.2. Other information

| Parameter                         | Value/unit | Remarks |
|-----------------------------------|------------|---------|
| VOC (Volatile organic compounds): | 1,12 %     |         |





#### JYSK ESSENTIAL TEXTILE PROTECTOR 375 ml (3650118/86084001)

Issued: 10/04/2024 Version: 1.0.0

Other Information: None.

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Reacts with the following: Strong alkalis/ Strong acids/ Strong oxidisers/ Strong reducing agents.

#### 10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

#### 10.3. Possibility of hazardous reactions

None known.

#### 10.4. Conditions to avoid

None known.

#### 10.5. Incompatible materials

Strong alkalis/ Strong acids/ Strong oxidisers/ Strong reducing agents.

#### 10.6. Hazardous decomposition products

The product decomposes when combusted or heated to high temperatures and the following toxic gases can be formed: Carbon monoxide and carbon dioxide.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity - oral

#### 2-(2-butoxyethoxy)ethanol, cas-no 112-34-5

| Organism | Test Type | Exposure time | Value      | Conclusion | Test method | Source |
|----------|-----------|---------------|------------|------------|-------------|--------|
| Rat      | LD50      |               | 5660 mg/kg |            |             |        |

Ingestion may cause discomfort. The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

#### Acute toxicity - dermal

#### 2-(2-butoxyethoxy)ethanol, cas-no 112-34-5

| Organism | Test Type | Exposure time | Value      | Conclusion | Test method | Source |
|----------|-----------|---------------|------------|------------|-------------|--------|
| Rabbit   | LD50      |               | 2700 mg/kg |            |             |        |

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

**Acute toxicity - inhalation:** The product does not have to be classified. Test data are not available.

**Skin corrosion/irritation:** May cause slight irritation. The product does not have to be classified. Test data are not

available.

Serious eye damage/eye

irritation:

May cause eye irritation. The product does not have to be classified. Test data are not

available.

Respiratory sensitisation or

skin sensitisation:

The product does not have to be classified. Test data are not available.

**Germ cell mutagenicity:** The product does not have to be classified. Test data are not available.





Issued: 10/04/2024 Version: 1.0.0

**Carcinogenic properties:** The product does not have to be classified. Test data are not available.

**Reproductive toxicity:** The product does not have to be classified. Test data are not available.

Single STOT exposure: Inhalation of spray mist may cause irritation to the upper airways. The product does not

have to be classified. Test data are not available.

**Repeated STOT exposure:** The product does not have to be classified. Test data are not available.

**Aspiration hazard:** The product does not have to be classified. Test data are not available.

#### 11.2. Information on other hazards

**Endocrine disrupting** 

properties:

None known.

Other toxicological effects: None known.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

#### 2-(2-butoxyethoxy)ethanol, cas-no 112-34-5

| Organism  | Species     | Exposure time | Test Type | Value      | Conclusion | Test method | Source |
|-----------|-------------|---------------|-----------|------------|------------|-------------|--------|
| Fish      |             |               | 96hLC50   | 1300 mg/l  |            |             |        |
| Crustacea | Daphnia sp. |               | 48hEC50   | > 100 mg/l |            |             |        |
| Algae     |             |               | IC50      | 53 mg/l    |            |             |        |

The product contains small quantities of environmentally hazardous substances. The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

#### 12.2. Persistence and degradability

#### 2-(2-butoxyethoxy)ethanol, cas-no 112-34-5

| Organism | Species | Exposure time | Test Type | Value | Conclusion | Test method | Source |
|----------|---------|---------------|-----------|-------|------------|-------------|--------|
|          |         |               |           | 89 %  |            | OECD 301 C  |        |

Test data are not available for all substances.

#### 12.3. Bioaccumulative potential

#### 2-(2-butoxyethoxy)ethanol, cas-no 112-34-5

|   | Organism | Species | Exposure time | Test Type | Value | Conclusion | Test method | Source |
|---|----------|---------|---------------|-----------|-------|------------|-------------|--------|
|   |          |         |               | Log Pow   | 0.68  |            |             |        |
| Ī |          |         |               | BCF       | 2.9   |            |             |        |

Test data are not available for all substances.

#### 12.4. Mobility in soil

Test data are not available.

#### 12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

#### 12.6. Endocrine disrupting properties

None known.

#### 12.7. Other adverse effects





Issued: 10/04/2024 Version: 1.0.0

None known.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Avoid discharge to drain or surface water. If this product as supplied becomes a waste, it does not meet the criteria of a hazardous waste (Dir. 2008/98/EU). Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

Empty, cleansed packaging should be disposed of for recycling. Uncleansed packaging is to be disposed of via the local wasteremoval scheme.

Category of waste: EWC code: Depends on line of business and use, for instance

Product: 16 05 09 discarded chemicals other than those mentioned in 16 05 06, 16 05 07

or 16 05 08

Absorbent/cloth contaminated with the product: 15 02 03 absorbents, filter materials,

wiping cloths and protective clothing other than those mentioned in 15 02 02

#### **SECTION 14: Transport information**

14.1. UN number or ID number: Not applicable. 14.4. Packing group: 14.5. Environmental Not applicable.

14.2. UN proper shipping name:

hazards:

Not applicable. Not applicable.

14.3. Transport hazard

class(es):

Not applicable.

#### 14.6. Special precautions for user

None.

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Special Provisions:** None. 15.2. Chemical Safety Assessment

Other Information: Chemical safety assessment has not been performed.

#### **SECTION 16: Other information**

#### Version history and indication of changes

| • |         | •             |                        |         |
|---|---------|---------------|------------------------|---------|
|   | Version | Revision date | Responsible            | Changes |
|   | 1.0.0   | 10/04/2024    | Bureau Veritas HSE/JST |         |

Abbreviations: PBT: Persistent, Bioaccumulative and Toxic

vPvB: Very Persistent and Very Bioaccumulative

STOT: Specific Target Organ Toxicity **DNEL: Derived No Effect Level** 

PNEC: Predicted No Effect Concentration

Other Information: This safety data sheet has been prepared for and applies to this product only. It is based on

our current knowledge and the information that the supplier was able to provide about the





#### JYSK ESSENTIAL TEXTILE PROTECTOR 375 ml (3650118/86084001)

Issued: 10/04/2024 Version: 1.0.0

product at the time of preparation. The safety data sheet complies with applicable law on preparation of safety data sheets in accordance with Regulation 1907/2006/EC "The Registration, Evaluation and Authorization of Chemicals" as amended by the stationary UK

REACH etc. (EU Exit) as subsequently changed.

**Training advice:** A thorough knowledge of this safety data sheet should be a prerequisite condition.

**Classification method:** Calculation based on the hazards of the known components.

**Hazard statements** 

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

SDS is prepared by

Company: Bureau Veritas HSE Denmark A/S

Address: Oldenborggade 25-31

Zip code: 7000
City: Fredericia
Country: DENMARK

E-mail: infohse@bureauveritas.com

Phone: +45 77 31 10 00 Homepage: www.bureauveritas.dk

Country: GB